SHOP SUPPLIES

CREEPERS

- 17-1/4" to 22" height adjustment
- · Max. weight capacity 250 lbs.
- · Generous high-back padded seat
- · Ball bearing swivel/casters
- Tool tray under seat

TEQ Correct Professional Series Pneumatic Shop Seat EQP 39030

- 36" steel frame construction
- · Padded seat and headrest
- · 300 lbs. rated capacity
- · Six 2" nylon, oil resistant, smooth-rolling casters for easy operation

MVP America Pro-Lift 2 in 1 Z-Creeper EQP C-2036

 360 Degrees rotating casters · Adjustable height: 4.53"

TEQ Correct Pneumatic Creeper Seat EQP 95006PV

- Maximum weight capacity 250 lbs.
- All steel construction
- · Heavy-duty supports.
- · Thick vinyl seat
- · Large tool tray
- TEQ Correct Creeper Seat EQP 96001PV
- · Four swivel casters for easy maneuverability
- · Padded heat rest for added comfort · 250 lb. Capacity


TEQ Correct 36" 4-Caster Padded Creeper EQP 38905PV

- All-steel construction
- · Durable rotating casters
- · Padded bench and headrest

TEQ Correct 36" 6-Wheel Shop Creeper EOP T0920

- · Solvent-resistant
- · 3", 360-rotating casters
- · Handle for easy carrying
- · Ergonomic design for comfort

TEQ Correct 40" Plastic Creeper EQP 97002PV



· Polyurethane material construction

TEQ Correct 2.5" Replacement Caster EQP 30004PV



· Ball bearing frame design for easy swiveling · Polyurethane material construction

· Ball bearing frame design for easy swiveling

TEQ Correct 2.5" Replacement Caster EQP 30003PV



- · Polyurethane material construction TEQ Correct 2" Replacement Caster EQP 30005PV
 - · Ball bearing frame design for easy swiveling · Polyurethane material construction

TEQ Correct Replacement Wheel For Plastic Creeper EQP 30002PV



- · All-Welded Adjustable Height Legs
- Painted Steel Top
- · Full-Length Stringer
- Accessory Kit Which Includes: Backstop, End Stops And Lower Shelf
- · 60"W x 29"D x Adjustable Height

Stationary ShureShop Workbench SHU 811045

- Painted Steel Top
- (2) Locking Swivel Casters, (2) Rigid Casters
- · Full-Length Stringer
- Accessory Kit Which Includes: Backstop, End Stops And Lower Shelf
- 60"W x 29"D x Adjustable Height
- · All-Welded Adjustable Height Legs
- · Large Sloped Working Surface For
- Big Or Multiple Jobs
- Full-Length Trough Draining System With Drain Pipe
- 70 1/2"W x 34 1/4"D x
- Adjustable Height **Shure Manufacturing**

Stationary Trans Max Tear Down Bench SHU 811101













- Shure Manufacturing Portable ShureShop Workbench SHU 811063





E.

IEI.

- · Designed for professionals on the go, this table features sturdy legs and set up system that takes seconds.
- · Folding design to save storage space

Performance Tools Shop Stand 500 lb. Capacity WIL W54024

SHOP SUPPLIES

BENCH VISES

· 360° Swivel base

· Anvil and pipe jaws incorporated

Irwin Heavy Duty Workshop Vise, 5" Jaw Width PET 226305ZR

Irwin Heavy Duty Workshop Vise, 6" Jaw Width PET 226306ZR

SHOP SUPPLIES BENCH GRINDERS

- · Cast iron housing. 3/4 HP UL approved. 115 volt, 60 Hz & 3,450 RPM
- · Wide, clear, easy to adjust eye shields
- · Adjustable tool rests
- · Ball bearings for durability
- · 1 fine and 1 coarse wheel included

Wilmar 8" Bench Grinder WIL W50058

- 3/4 HP induction motor provides superior power for industrial grinding applications
- · Rugged cast iron base and motor housing provide durability and prolonged life
- · Motor runs at 3,600 rpm for high-speed material removal
- · Precision-machined aluminum tool rests allow the user to accurately position work
- · Rear exhaust ports in wheel guards for smoother operation

Dewalt Tools 8" Bench Grinder SBD DW758

SHOP SUPPLIES Whffl Chocks

 Product Contents: 2 Steel Wheel Chocks AutoCraft Wheel Chock EQP AC3450



- · Keeps tires from rolling and also serves as a safety device
- · Nested for easy storage
- · Not for commercial use

2

- · Made of durable high-density resin
- · Made in the U.S.A.

Rhino Gear Heavy Duty Wheel Chocks CPM 11930

SHOP SUPPLIES

SERVICE CARTS

- · 2 Shelf cart with locking drawer
- · Load Capacity: 350 Lbs.
- Shelf dimensions" 28" x 16" x 3 1/2" deep
- Drawer dimensions: 27" x 15" x 3 3/4" deep
- · 2 swivel casters for easy maneuvering

Wilmar Two Shelf Utility Cart w/Drawer WIL W54004

- · Four swivel casters, plus two locking casters
- Organizer shelf with bins
- · Shelf with storage drawer
- Two 23 1/2" x 16" tool travs
- · Foam drawer and tray liner

Wilmar 3 Shelf Utility Cart w/Drawer WIL W54006

- · Easy Rolling Utility cart with upper and lower trays.
- · 2 shelf utility cart holds up to 500 lbs. total but is light weight and maneuverable
- · Industrial duty polypropylene construction won't rust, dent or chip
- · 5" Diameter non-maring casters, (two locked and two swivel)
- · Tool utility cart has tool storage and cup holder on the handle
- Trav size: 30" L x 16" W x 3" Deep
- Overall dimensions: 39-3/4" L x 17" W x 33-1/4" H
- Wilmar Poly Service Cart WIL W53991

SHOP SUPPLIES SIGNAL BELL

6' cord length

- Self contained
- · To order a complete system, select an air hose in addition to bell

Milton Industries Self Contained

- Driveway Signal Bell MIL 805
- · 3/8" hose inside diameter
- UV resistant
- Oil resistant

Milton Industries 50' Driveway Signal Hose MIL 838

SHOP SUPPLIES



· 3,100 max. PSI

* Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order

- 196cc OHV Engine delivers 2.5 GPM Flow Rate
- Electric Push Start
- · Quick Release Handle
- 12" Never-Flat Wheels

Pulsar 3.100 PSI Gas-Powered Pressure Washer With Electric Start (Battery and Charger Included) GEN PWG3100VE





Image Shown: 226305ZR













SHOP SUPPLIES

Image Shown: HFZWP550

- · Field repairable Reusable anodized aircraft aluminum fittings
- · Extreme all-weather flexibility
- · Lightweight, coils easily
- · Won't kink under pressure
- · Lays flat no memory
- · Durable and abrasion-resistant outer cover

WATER HOSES

- Leak-free O-rings
- Max. working pressure at 70°F: 150 psi
- · Drinking water safe
- · Flexzilla Pro Reusable Fittings include bend reinforcement for increased flexibility. Reduces wear and tear, prolonging the life of the hose.

Flexzilla[®] Pro Water Hose, 5/8" x 50', 3/4" - 11 1/2" GHT Fittings LEG HFZWP550

Flexzilla[®] Pro Water Hose, 5/8" x 100', 3/4" - 11 1/2" GHT Fittings LEG HFZWP5100

Flexzilla[®] Pro Water Hose, 5/8" x 75', 3/4" - 11 1/2" GHT Fittings LEG HFZWP575

SHOP SUPPLIES

· Intuitive controls and LCD operation panel

- · Calculates mileage return intervals
- · Includes a tough, flexible keyboard

· Includes 1,000 labels

Petoskey Plastics Slip-N-Grip[®] Static **Cling Label Printer System** PSK FB-GX001-06

FTE "Check your Oil Frequently" Static Labels PSK M-FB-P9933-45 "Return For Service" Static Labels PSK M-FB-P9933-94

SHOP SUPPLIES

- · 3-Ply Technology For Extreme Strength
- · Guaranteed Quality & Durability
- · Puncture Resistant
- · Coreless Rolls

SteelCoat 12-16 Gallon HD Clear Can Liners PSK FG-P9934-34 SteelCoat 12-16 Gallon HD Black Can Liners PSK FG-P9934-33 SteelCoat 30-40 Gallon HD Black Can Liners PSK FG-P9934-35 SteelCoat 30-40 Gallon HD Clear Can Liners PSK FG-P9934-36 SteelCoat 55-60 Gallon HD Black Can Liners PSK FG-P9934-43 SteelCoat 55-60 Gallon HD Clear Can Liners PSK FG-P9934-44

SHOP SUPPLIES

WFT-DRY VACUUM

- · Cordless or corded operation powered by either an 18V or 20V MAX* battery - or an AC outlet
- · HEPA rated wet/dry filter traps dust with 99.97% efficiency at 0.3 microns
- Easily accessible, washable/reusable filter; tap or water rinse to clean
- Heavy-duty, crush-resistant, fully-integrated 5' (by
- 1-1/4" diameter) hose provides durability, flexibility and ease-of-use
- On-board hose, cord and accessory storage makes the vacuum easy to carry/ transport

Dewalt Tools 18/20V MAX* Cordless/Corded Wet-Dry Vacuum SBD DCV581H

SHOP SUPPLIES HEATERS

- · Low Med High Heat Settings
- · Adjustable 10,000 15,000 BTU's
- No Electricity Required
- · Connects to a 20# Tank
- 29 Hour Run Time on Low
- Tip Over Safety Device
- Certified

Mr. Heater Tank Top Heater MRH MH15T

- Two Adjustable Heating Heads
- · Low Med High Heat Settings
- · Adjustable 10,000 30,000 BTU's of Total Heat
- No Electricity Required
- · Connects to a 20# Tank • 29 Hour Run Time on Low
- · Tip Over Safety Devices
- Certified

Mr. Heater Tank Top Heater MRH MH30T

- Automatic low oxygen shut-off system (ODS)
- · Tip-over safety shut-off
- · Includes Piezo igniter
- · Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
 - Indoor Safe (Except CAN & MASS)
 - Certified

Mr. Heater Mr. Heater Portable Buddy Propane Heater MRH MH9BX

- 75,000 125,000 BTU's
- · Heats up to appx 3125 sg. feet
- Uses Min 40# Tank
- · 10' hose & regulator included
- · Patented quiet burner technology
- · Runs 50% quieter than standard forced air heaters
- Certified

Mr. Heater Portable Propane Forced Air Heater MRH MH1250FAV

- 125,000 175,000 BTU's
- · Heats up to appx 4250 sq. feet
- Thermostat Control
- Uses Min 100# Tank
- 10' hose & regulator included
- Patented quiet burner technology
- · Runs 50% quieter than standard forced air heaters Certified

Mr. Heater Portable Propane Forced Air Heater MRH MH170QFAVT

Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order















Image Shown: FG-P9934-34 TRASH BAGS



- 125,000 -BTU's · Heats up to appx 3125 sq. feet

· Uses Diesel, Kerosene, Jet Fuel and Fuel Oil

Mr. Heater 125.000 BTU Kerosene Heater MRH MH125KTR

- 175,000 -BTU's
- · Heats up to appx 4375 sq. feet
- · Uses Diesel, Kerosene, Jet Fuel and Fuel Oil
- Features built-in thermostat

Features built-in thermostat

Mr. Heater Mr. Heater 175,000 BTU Kerosene Heater MRH MH175KTR

SHOP SUPPLIES GENERATORS

- · Includes a low-oil shut-off sensor and has a 0.4-quart oil capacity (recommended 10W-30)
- · Dependable
- · At 1500 starting watts and 1200 running watts, enjoy up to 10 hours of run time on a full tank of gasoline with a noise level of 65 dBA from 23 feet
- Multi-Purpose

Champion Power Equipment 1200-Watt Portable Generator CAC 42436

- · Designed for Safety
- · Includes a low-oil shut-off sensor and has a 0.6-quart oil capacity (recommended 10W-30)
- · Reliable and Powerful
- At 4000 starting watts and 3500 running watts, enjoy up to 12 hours of run time on a full tank of gasoline with a noise level of 68 dBA from 23 feet
- Outlets

Champion Power Equipment 3500-Watt RV Ready Portable Generator (EPA) CAC 46596

- Dual Fuel
- · Operate your 8000-watt portable generator right out of the box on either gasoline or propane, plus the unit holds 1.2-quarts of oil (included) and has a low oil shut-off sensor Electric start
- · Power up the 459cc Champion engine with the handy toggle switch, battery included
- Intelligauge

Champion Power Equipment 8000-Watt Dual Fuel Portable Generator with Electric Start CAC 100297

- Dual Fuel
- Operate your 3800-watt portable generator right out of the box on either gasoline or propane, plus the unit holds 0.6-quarts of oil (included) and has a low oil shut-off sensor · Electric start
- Power up the 224cc Champion engine with the handy toggle switch, battery included
- Intelligauge

Champion Power Equipment 3800-Watt Dual Fuel RV Ready Portable Generator with Electric Start CAC 76533

Dual Fuel

- Operate your 5500-watt portable generator right out of the box on either gasoline or propane, plus the unit holds 1.2-quarts of oil and has a low oil shut-off sensor
- Fuel Safety Switch
- · Our patented fuel selector switch allows for quick and safe switching between fuel sources
- Intelligauge

Champion Power Equipment 5500-Watt Dual Fuel Portable Generator with Wheel Kit CAC 100231

SHOP SUPPLIES EVAPORATIVE COOLERS

- The new, efficiently designed Portacool Jetstream[™] 220 boasts powerful cooling in a compact size. This portable evaporative cooler is perfect for tight spaces or for spotcooling a challenging personal workspace.
- · Big on portability, but small in size, you can roll the Jetstream 220 where needed and the oscillating louvers will help deliver cooling comfort throughout your bay, garage or shop.
- 2,400 CFM
- · Variable-Speed
- · Cools up to 700 sq.-ft.
- Port-A-Cool Evaporative Cooler Jetstream[™] 220 PAC PACJS2201A1
- · The newly developed Portacool Jetstream 230 delivers cooling comfort to the professional single-person workspace. It is an efficiently designed product that offers maximum versatility for usage in open or confined workspaces.
- Featuring oscillating louvers, low-water shutoff and Kuul Comfort MicroTech evaporative media, this cooler is an impressive cooling solution for hard-to-cool industrial and automotive shop areas.
- 3,600 CFM
- · Variable-Speed
- · Cools up to 900 sq.-ft.

Port-A-Cool Evaporative Cooler Jetstream[™] 230 PAC PACJS2301A1

- · The Portacool Jetstream 240 provides maximum adaptability for cooling wherever needed. The Jetstream 240 is not only easy to move, it can fit in the tightest of
- spaces. Liquid level indicator and intuitive control panel make operation a breeze.
- · This energy-efficient cooling solution uses less energy than a standard household toaster
- Port-A-Cool Evaporative Cooler Jetstream[™] 240 PAC PACJS2401A1
- Jetstream 250. This mid-range evaporative cooler is perfect for keeping your small spaces cool. Userfriendly features include easy-roll casters, cord wrap and streamlined maintenance.
- · This energy efficient cooling solution requires the same energy of a small standard household appliance
- 8,500 CFM
- Cools up to 2,125 sq.-ft.

Port-A-Cool Evaporative Cooler Jetstream[™] 250 PAC PACJS2501A1

* Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order













- **CARQUEST®** Auto Parts Service Lines Catalog
- 4

- 4,500 CFM Variable-Speed · Cools up to 1,125 sq.-ft.

 - · Step up the cooling game with the Portacool

Variable-Speed

[·] Designed for Safety