

ANTIFREEZE/COOLANT CAR & LIGHT TRUCK

- Protects all metals including aluminum
- Low Silicate Formula
- Contains bitterant

CARQUEST Oil & Fluids Concentrated Antifreeze/Coolant - Ethylene Glycol Based Green, 1 Gallon ANT 101

CARQUEST Oil & Fluids 50/50 Pre-Mixed Antifreeze/Coolant - Ethylene Glycol Based Green, 1 Gallon ANT 201



Image Shown: 101



Image Shown: 301

- Universal car and truck formula
- Meets or exceeds all major automobile manufacturers specifications
- Patented aluminum protection
- Provides year round protection against rust and corrosion

CARQUEST Oil & Fluids Extended Life Antifreeze/Coolant, 1 Gallon ANT 301

CARQUEST Oil & Fluids Extended Life 50/50 Prediluted Antifreeze/Coolant, 1 Gallon ANT 401

- Compatible for use in all automobiles and light-duty trucks
- Yellow color will not change the current antifreeze color when used for topping-off
- Provides 150,000 miles or 5 years of maximum protection when a complete cooling system flush and fill is performed
- Features a phosphate-free and silicate-free formula
- Meets ASTM D-3306 and ASTM D-4342

Peak Long Life Antifreeze/Coolant, 1 Gallon ANT PRA0B3

Peak Long Life 50/50 Prediluted Antifreeze/Coolant, 1 Gallon ANT PRAB53



Image Shown: PRA0B3

- New Prestone Antifreeze/Coolant helps a vehicle's engine last longer with improved extended life technology
- Fortified with Cor-Guard inhibitors, Prestone's patented formula prevents corrosion, helping a vehicle's cooling system run more efficiently
- Prestone with Cor-Guard inhibitors is compatible with ANY antifreeze/coolant, regardless of color, and can be used in ALL makes and models of cars or light duty trucks
- Prestone provides protection up to 5 years or 150,000 miles when flushed and filled according to directions

Prestone Extended Life All Makes All Models Antifreeze/Coolant, 1 Gallon ANT AF2000

Prestone 50/50 Ready-To-Use Prediluted Extended Life All Makes All Models Antifreeze/Coolant, 1 Gallon ANT AF2100



Image Shown: AF2000

- Compatible for use in all automobiles & light duty trucks
- Provides 150,000 miles or 5 years of maximum protection when a complete cooling system flush and fill is performed
- Meets European phosphate free and Japanese silicate free requirements
- Meets ASTM D-3306
- Meets ASTM D-4340

CARQUEST Oil & Fluids Dex-Cool Compatible Antifreeze/Coolant, 1 Gallon ANT 501



- Prestone DEX-COOL is formulated for use in all vehicles that require DEX-COOL antifreeze/coolant
- It also can be used in all other cars and light duty trucks that use extended life coolant
- Prestone DEX-COOL provides up to 5 years or 150,000 miles of protection when flushed and filled according to directions
- Prestone DEX-COOL meets or exceeds ASTM D3306 and SAE standards for corrosion protection and meets GMW3420, GM 6277M, Ford WSSM97B44-D and property and performance specification requirements of Chrysler MS12106, MS-7170 & MS-9769

Prestone Dex-Cool Extended Life Antifreeze/Coolant, 1 Gallon ANT AF888

Prestone Dex-Cool 50/50 Prediluted Extended Life Antifreeze/Coolant, 1 Gallon ANT AF850



Image Shown: AF888

- Top-off a vehicle's cooling system with Prestone 50/50 for Toyota vehicles
- Prestone's improved extended life antifreeze features an enhanced inhibitor package that prevents corrosion and helps engines run longer
- Prestone 50/50 for Toyota vehicles is a blend of concentrated antifreeze/coolant and demineralized water
- Prestone 50/50 Prediluted Antifreeze/Coolant for Toyota vehicles is compatible with ANY antifreeze/coolant, regardless of color, and can be used in ALL makes and models of cars and light duty trucks

Prestone Toyota Vehicle Extended Life 50/50 Antifreeze/Coolant, 1 Gallon ANT AF6200



- Top-off a vehicle's cooling system with Prestone 50/50 for Honda/Nissan vehicles
- Prestone's improved extended life antifreeze features an enhanced inhibitor package that prevents corrosion and helps engines run longer
- Prestone 50/50 for Honda/Nissan vehicles is a blend of concentrated antifreeze/coolant and demineralized water
- Prestone 50/50 Prediluted Antifreeze/Coolant for Honda/Nissan vehicles is compatible with ANY antifreeze/coolant, regardless of color, and can be used in ALL makes and models of cars and light duty trucks

Prestone Honda/Nissan Vehicle Extended Life 50/50 Antifreeze/Coolant, 1 Gallon ANT AF6300



- Top-off a vehicle's cooling system with Prestone 50/50 for European vehicles
- Prestone's improved extended life antifreeze features an enhanced inhibitor package that prevents corrosion and helps engines run longer
- Prestone 50/50 for European vehicles is a blend of concentrated antifreeze/coolant and demineralized water
- Prestone 50/50 Prediluted Antifreeze/Coolant for European vehicles is compatible with ANY antifreeze/coolant, regardless of color, and can be used in ALL makes and models of cars and light duty trucks

Prestone European Vehicle Extended Life 50/50 Antifreeze/Coolant, 1 Gallon ANT AF6100



* Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order.

- Meets the hybrid organic acid technology, HOAT extended life formula requirements of North American OEMs.
- PEAK OET Gold is free of phosphate, amines and 2-ethyl hexanoic acid, 2-EHA and is safe for non-metallic cooling system components
- Meets or exceeds performance requirements of ASTM D3306, D4985 and ASTM D6210
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology North American Gold 50/50 Antifreeze + Coolant, 1 Gallon ANT NAGB53

- Meets the Organic Acid Technology, OAT formula requirements of North American OEMs requiring an ORANGE antifreeze/coolant
- Silicate, phosphate, borate, nitrite and amine- free to comply with North American OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and D4985
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology North American Orange 50/50 Antifreeze + Coolant, 1 Gallon ANT NAOB53

- Meets the Phosphate-enhanced Organic Acid Technology, POAT formula requirements of Asian OEMs requiring a GREEN antifreeze/coolant
- Silicate, borate, nitrite and amine- free to comply with Asian OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and JIS K2234
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology Asian Green 50/50 Antifreeze + Coolant, 1 Gallon ANT PAGB53

- Meets the Phosphate-enhanced Organic Acid Technology, POAT formula requirements of Asian OEMs requiring a RED/PINK antifreeze/coolant
- Silicate, borate, nitrite and amine- free to comply with Asian OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and JIS K2234
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology Asian Red/Pink 50/50 Antifreeze + Coolant, 1 Gallon ANT PARB53

- Meets the Phosphate-enhanced Organic Acid Technology, POAT formula requirements of Asian OEMs requiring BLUE antifreeze/coolant
- Silicate, borate, nitrite and amine- free to comply with Asian OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and JIS K2234
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology Asian Blue 50/50 Antifreeze + Coolant, 1 Gallon ANT PABB53

- Meets the Organic Acid Technology, OAT formula requirements of European OEMs requiring a PINK antifreeze/coolant
- Phosphate, silicate, borate, nitrite and amine- free to comply with European OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and BS 6580
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology European Pink 50/50 Antifreeze + Coolant, 1 Gallon ANT PEPB53

- Meets the Silicate-enhanced Organic Acid Technology, SiOAT formula requirements of European OEMs requiring a VIOLET antifreeze/coolant
- Phosphate, borate, nitrite and amine- free to comply with European OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and BS 6580
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology European Violet 50/50 Antifreeze + Coolant, 1 Gallon ANT PEVB53

- Meets the Silicate-enhanced Hybrid Organic Acid Technology, SiHOAT formula requirements of European OEMs requiring a BLUE antifreeze/coolant
- Phosphate, nitrite and amine- free to comply with European OEM requirements
- Meets or exceeds the performance requirements of ASTM D3306 and BS 6580
- Provides ultimate protection against rust and corrosion for all cooling system metals
- PEAK guarantees up to 5 year/150,000 mile protection with a complete cooling system flush and fill



Peak Original Equipment Technology European Blue 50/50 Antifreeze + Coolant, 1 Gallon ANT PEBB53

- Protection for up to 5 years / 150,000 miles. Must mix with Water
- Automaker approved technology.
- Minimizes inhibitor depletion
- Low-silicate, low-pH and phosphate-free formula
- Protects all cooling system metals, including aluminum

ZEREX G-05 Antifreeze/Coolant, 1 Gallon ANT ZXG051

ZEREX G-05 Antifreeze/Coolant 50/50 Ready-to-Use, 1 Gallon ANT ZXG05RU1



Image Shown: ZXG051

- 5 year/150,000 Mile Guarantee
- Silicate free, Phosphated HOAT Chemistry
- Protects against freeze-ups and boilovers
- Protects against rust and corrosion

ZEREX Asian Vehicle Antifreeze/Coolant 50/50 Ready-to-Use, 1 Gallon ANT 675130



* Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order.

- Pentofrost A1 is a phosphated organic acid technology, phosphated OAT which is categorized as HOAT, hybrid organic acid technology in the US market
- Pentofrost A1 is suitable for all Asian vehicles using "red" Antifreeze/Coolant
- Pentofrost A1 does not contain any silicate, borate, nitrite or amine containing additives since these may harm your Asian vehicle
- Do not mix with other coolants, especially silicated coolants, as this may cause gel formation and clog your radiator
- Pentofrost A1 is an antifreeze CONCENTRATE for Asian vehicle applications in water-cooled engines



Pentosin Pentofrost A1 Antifreeze/Coolant, 1 Gallon PTN 8115203

- Pentofrost A2 is a phosphated organic acid technology, phosphated OAT which is categorized as HOAT, hybrid organic acid technology in the US market
- Pentofrost A2 is suitable for all Asian vehicles using "green" Antifreeze/Coolant
- Pentofrost A2 does not contain any silicate, borate, nitrite, or amine additives since these may harm your Asian vehicle
- Pentofrost A2 is mixable with all phosphated OATs
- Meets ASTM D-3306



Pentosin Pentofrost A2 Extended Life Antifreeze/Coolant, 1 Gallon PTN 8115205

- Pentofrost A3 is a phosphated organic acid technology, phosphated OAT which is categorized as HOAT, hybrid organic acid technology in the US market
- Pentofrost A3 is suitable for all Asian vehicles using "blue" Antifreeze/Coolant
- Pentofrost A3 does not contain any silicate, borate, nitrite or amine containing additives since these may harm your Asian vehicle
- Do not mix with other coolants, especially silicated coolants, as this may cause gel formation and clog your radiator



Pentosin Pentofrost A3 Super Extended Life Antifreeze/Coolant, 1 Gallon PTN 8115207

- Pentofrost A4 is a phosphated organic acid technology, phosphated OAT which is categorized as HOAT, hybrid organic acid technology in the US market
- Pentofrost A4 is suitable for all Asian vehicles using "pink" Antifreeze/Coolant
- Pentofrost A4 does not contain any silicate, borate, nitrite or amine containing additives since these may harm your Asian vehicle
- Do not mix with other coolants, especially silicated coolants, as this may cause gel formation and clog your radiator
- Pentofrost A4 is a PRE-DILUTED antifreeze for Asian vehicle applications in water-cooled engines



Pentosin Pentofrost A4 Super Extended Life Antifreeze/Coolant, 1 Gallon PTN 8115209

- Pentofrost ++ is an environmentally friendly Antifreeze concentrate for multipurpose applications in water-cooled engines.
- It does not contain any nitrites, amines or phosphorous containing additives.
- Pentofrost ++ protects all material used in cooling systems and is recommended for non-ferrous metals and year-round use.
- Pentofrost ++ can be used where G12+ is required.
- Meets ASTM D-3306.



Pentosin Pentofrost ++ Extended Life Antifreeze/Coolant, 1.5 Liters PTN 8113106

Pentosin Pentofrost ++ Extended Life Antifreeze/Coolant, 5 Liters PTN 8113206

Image Shown: 8113106

- Pentofrost NF is an environmentally friendly Antifreeze concentrate for multipurpose applications in water-cooled engines
- It does not contain any nitrites, amines or phosphorous containing additives
- Pentofrost NF protects all material used in cooling systems and is recommended for non ferrous metals and year-round use
- Meets ASTM D-3306



Pentosin Pentofrost NF Antifreeze/Coolant, 1.5 Liters PTN 8114117

- Pentofrost SF is an environmentally friendly Antifreeze concentrate for multipurpose applications in water-cooled engines
- It does not contain any nitrites, amines or phosphorous containing additives
- In addition, it does not contain any Silicates
- Pentofrost SF protects all material used in cooling systems and is recommended for non ferrous metals and year-round use
- Meets ASTM D-3306



Pentosin Pentofrost SF Silicate Free Extended Life Antifreeze/Coolant, 1.5 Liters PTN 8114107

ANTIFREEZE/COOLANT HEAVY DUTY

- Works in ALL heavy-duty diesel, gasoline and natural gas engine cooling systems
- Optimum protection against freezing and boil over
- Provides corrosion protection of all cooling system metals and components
- Incorporates nitrite to provide wet sleeve liner protection against cavitation
- Designed to last the life of the engine when maintained with a high quality SCA filter system



Peak Fleet Charge SCA Precharged Coolant/Antifreeze, 1 Gallon ANT FCA0B3

- Heavy Duty antifreeze for all vehicle classes
- Nitrite Free
- Extended Life Technology
- For Gas & Diesel Engines



Prestone Heavy Duty 50/50 Prediluted Antifreeze/Coolant, 1 Gallon ANT AF5200

- 50/50 Pre-Mixed RTU
- Extended Life
- Meets Cat EC-1 specs

Prestone Command HD Antifreeze/Coolant 50/50 Pre-Mixed RTU - Extended Life, 1 Gallon ANT AFC1100



* Disclaimer: Not all products listed in this catalog are stocked in all stores or DC locations. If not stocked, they are available via special order.

- SCA Pre-Charged is designed to be used with ANY conventional antifreeze/coolant in ANY heavy duty engine used in normal to severe duty cycles and extreme temperature conditions
- This product will provide complete protection against freezing, overheating, cavitation erosion, corrosion, scale and foaming without the need of SCA's in the initial fill
- Provides extended service protection when flushed and filled according to the directions in the vehicle manufacturer owner's manual
- Maintains extended service protection when added to any HD ESI antifreeze/coolant
- Universal Formula: Heavy Duty and Industrial Applications

Prestone Command Heavy Duty Extended Service Interval Antifreeze/Coolant, 1 Gallon ANT AFC10000



ANTIFREEZE RV/MARINE

- Camco Arctic Ban -50 RV / Marine Antifreeze for fresh water supply systems
- Provides burst protection to -50° F
- Ethyl Alcohol blended product

Camco Arctic Ban -50 Degree RV/Marine Antifreeze, 1 Gallon ANT 30803



ANTIFREEZE/COOLANT TESTERS

- Helps prevent winter freezing and summer overheating
- Works with all ethylene glycol coolants
- Recommended for use with Peak Long Life Antifreeze, sold separately

Peak Antifreeze and Coolant Tester OWI PKFOAB



- Tests only ethylene glycol solutions
- 2 scales shown: 1. Freezing point of radiator solution. 2. Boiling point of summer coolant

Custom Accessories Deluxe Antifreeze Tester CUS 40006



- Floating balls show degree of protection
- Checks to -40°F

Custom Accessories Antifreeze Tester CUS 46664



- Professional disc-type 16 1/4" tester is used to test propylene glycol-based antifreeze in automotive radiators
- Number of floating discs measures level of protection
- Easy to read discs are magnified by convex design of the clear SAN plastic barrel.
- Temperature compensating tester is accurate whether coolant is hot or cold
- Special feature is the "6th disc" which shows overprotection and a loss of cooling efficiency

Thexton Disc-Type (PG) Anti-Freeze Tester CPE 32860



- Professional disc-type 16 1/4" tester is accurate at all temperatures
- Tests ethylene glycol-based coolant, hot or cold, including Dex-Cool®.
- Easy to read discs are magnified by convex design of the clear SAN plastic barrel.
- Celsius and Fahrenheit scales
- Special feature is the "6th disc" which shows overprotection and a loss of cooling efficiency

Thexton Disc-Type (EG) Anti-Freeze Tester CPE 32870



WASHER FLUID

WINDSHIELD

Image Shown: 30903

- All season formula, cleans and de-ices

Camco Xtreme Blue -20° F Windshield Washer Fluid, 1 Gallon WWS 30903

Camco Xtreme Blue 0° F Windshield Washer Fluid, 1 Gallon WWS 30983

Camco Xtreme Blue 20° F Windshield Washer Fluid, 1 Gallon WWS 30973



- Removes light snow, ice, grime, and bugs.
- Helps repel road spray.
- Applies water-beading technology to help keep windshield clear.
- Formulated with deionized water for improved visibility and streak-free cleaning power.
- For use in cold weather.

Rain X 2 in 1 Windshield Washer Fluid - All Season Formula - Rated at -25° F, 1 Gallon WWS 5066517

Rain X 2-in-1 Windshield Washer Fluid - 4-Season Formula - Rated at 0° F, 1 Gallon WWS 5061320



Image Shown: 5066517

- Removes stubborn bugs and road grime.
- Applies water-beading technology to help keep windshield clear.
- Formulated with deionized water for improved visibility and streak-free cleaning power.
- For use in temperatures above freezing.

Rain X Bug Remover 32° F Windshield Washer Fluid, 1 Gallon WWS RX68806



- Melts ice and frost fast.
- Prevents refreeze on windshield and wiper blades.
- Removes bug residue, bird droppings, tree sap and road grime.
- Improves visibility for safer driving.
- Provides streak-free cleaning.

South/Win Windex All Seasons Windshield Washer Fluid - Freeze protection to 0° F WWS 123005

South/Win Windex All Season Windshield Washer Fluid - Rating: -35° F WWS 123235



Image Shown: 123005

- Concentrated - 1 oz. makes 33 oz. of wash solution

Radiator Specialty Windshield Washer Solvent with Ammonia RAD M5-06

